

[Log file successfully created. Click here, save the file and send to NetMake!](#)

Environment

- ✔ PHP: 5.2.1
- ✔ Zend: 3.3.0
- ✔ OS: WINDOWS NT PROGRAMMER 6.1 BUILD 7600
- ✔ WEB Server: Apache
 - Java: on
 - ScriptCase Devel: 5.2.041
 - ScriptCase Build: 8
 - ScriptCase Prod: 5.2.041

Databases

- ✔ COM
- ✘ DB2
- ✘ Ifx
- ✘ Informix
- ✘ InterBase
- ✘ MsSQL Server
- ✔ MySQL
- ✔ Oracle 8
- ✔ ODBC
- ✘ Oracle
- ✔ PostgreSQL
- ✔ SQLite
- ✘ SyBase

Extensions

- ✔ ZLIB
- ✔ GD

Environment 2

- ✔ php.ini PATH: C:\Program Files\NetMake\v5\php\php.ini
- zend_optimizer_license_path: C:\Program Files\NetMake\v5\wwwroot\scriptcase\conf - scriptcase.nm
- Dados:
 - NMmaS2fbkQRZ4gvIobO+hb9J9rYyLousGFtxTTqI0IdtWi6ZchhXQvTxrm+41/hXOiSRz5IGcREhNuDwRuAJ5cCYebd3NCiWBfnD
 - GmvaY3w6P+2TDy95mL1jI9WkZlbuS1kNkUGhFepI0OUDMCUpSUAJMKOcSBQc9X+ZTVohDbAuTlgD0wr6A1zSnxxFFTHol7WtPD9y
 - ✔ mY8nQDTcds8Qkd9SOacMooNuslKJiabChJmkfuQG9KTxCzcfw/IMyrfOLZ6OqtJAEsTAV+8nG/mKLomZkmC6jJObKGrOT+QGIHTb
 - jOGIPOB4g4SV34s2iIr1nNyEpF+bCHX7K7v9culiuOfcjwDMRz1OmnKzGlMefYuhm/WKGUcSqHX8hiS6tuXMwFgznsn8z3WA4or
 - Gi9/8hxtS7BcU2j/vhtyVDH/KfNMfO1EpXQ3X6B/gx+Q4g7LH6Gge6l2EI+0+Kmi/G9FXEpezq0aSUOz9PlwD0LsVAEjx6RSzpl+
 - ph47NMnlhGnTEan88kRyvSzP1GS/G6zSxKhwnQ42NdygnbqrUHvUD6pMjvFw0gF/xCceqBBt1+2GC4u62sl3cl7WNhUe4r4igFSM
 - 1GLvweA9hX1We7Sm2eYHfPcYHjcnFVKFkpiTbAzs/Hxojlm0OHZiscTGNy/U9WUL05mOI+6Hqly60W7IH0WZfjtmVaE7n2S+9twf
 - tEclrN
- ✔ ScriptCase write permission
- ✔ Session write permission
- ✘ Internet Access - Socks - Problem
- ✔ ZendId execute Permission
- ✔ ZendId MD5: 7df6d02de200d85a38bc9175e77a2196
- ✔ ID: H:WJR2R-ELYPT-FCCML-X66HY#lic#M:F5592-JPMKF-6VYPY-MYVJE#lic#I:RDZRX-R4GXH-EK23P-LHFBJ
- ✔ Popup: OK
- ✔ GD - 2.0
- ✔ C:\Program Files\NetMake\v5\wwwroot\scriptcase

ScriptCase Installed

Tables

- ✔ sc_tbp1
- ✔ sc_tbat1
- ✔ sc_tbcmp
- ✔ sc_tbconex
- ✔ sc_tbevt
- ✔ sc_tbjrj

- ✓ sc_tblog_apl
- ✓ sc_tblog_cmp
- ✓ sc_tblog_evt
- ✓ sc_tbrep
- ✓ sc_tbrep_fields
- ✓ sc_tbrep_tables
- ✓ sc_tbsess
- ✓ sc_tbusu
- ✓ sc_tbtrans
- ✓ sc_tbversao

ScriptCase Environment

- ✓ Fields without applications: 0
- ✓ ScriptCase License
- ✓ Number of Connections: 1
- ✓ License Type: Enterprise Edition Copper
- ✓ License Version: 5.0
- ✓ License Date: 0/0/0 compra;-734984
- ✓ licensed To: Fabrizio Fornasaro
 - SQL Select Statement:
 B%12%21%0D%0D%3D%A4y%06%E1%FA%BC%C6%DEw%B9%DD%22%99%D3%EE%E0%AC%8F%DB%3FKp%1Ad%0A%A1%7F%07zB%60IE%5B%83%1E%93%C8%26sq%0D%FD%F3q%EB%24%856%EC%82%BDDzG%17%B1%EF%B5DvYL%8C%F8%94%225%D2%C4%B2%7CF%C6b%09%11%B4%23%DB%CF%E7%E2%E1n%40J%28%2B%9C%BF%EE%E6H%B3%0A%1A%B2+%D6%C0%10%EAx%85%F9%17%96K%97%24B%92%D1%82%E36f%D9xy%25%FB%E2%A5%15%2F%F8%8C%C5%E3%B4%88%25%0D%A0%A5%7E%27%B9%0A%26I%15%F9%0Es%E6%AC4%F4%08%994%22z%8A%E3%7E%D5%26%0Ed%DB%E6%AF6%B1%3D%BB%87%D7%8C%97%9Fs%F2%0DD%80%ECx%2Ap%FD%C7K%91H%DC%245%B9%2A%BE%D6%E6%9E%E7%EAB%D8cm%DDI%09%C7%24%E5%83%AB%E3%C7%DF%B6%B8%AB4u%AB%D1%05m%9F%93%E3%16%23%9E9%02%E7%FAZ%2FM%EA%C7%93%BE%C4%A0%10%8B%E87%5E%D2%E6%B4%ED%C5%10%0B%DB%D9%F4%CDq%C0%07%DA%91%3F%ABI%C3%FD%8C8qJ%03%2A%9DH%9F%AD%3F%AE%5E%B8%5C%1CK%D38%2C%BD%0B6S%8Dk%DCStD%CB%EBL%E6%C8%E1%83S%3Ek%22YN0%FD%A73%5B%2F%EC%DAV%ED%F3%D6C%E8R%7C%5C_%3D%8F%8C%DA%01%95%F8z%E1%95%93%18%91%02%F9%14%2B3%28%16%81%D4U%CCd%C3%5DC%BD%1A%23%98%DA%92-dMg0%17n%F2%83ID%D0%01%82qq%F6%3B%00%AED%EE%F4%C2%F3%D7%EC%D6%BFUo%5C%E0sS
- ✓ ScriptCase Version: 5.2.041
- ✓ ID: M:2BLYH-K27Y2-L6TKN-ZYRFK#lic#M:F5592-JPMKF-6VYPY-MYVJE#lic#H:WJR2R-ELYPT-FCCML-X66HY#lic#I:5ZRPR-4CDB5-5YFS3-JB2M5#lic#I:SJ276-KM49G-ZZ4TL-B74KQ
- ✓ SERIAL: F111H111F111NFHA
- ✓ Max Apl Date: 20120407
- ✓ System Date: 10/04/2012 17:23:30

;

PHP Version 5.2.1

System	Windows NT PROGRAMMER 6.1 build 7600
Build Date	Feb 7 2007 23:10:31
Configure Command	cscript /nologo configure.js "--enable-snapshot-build" "--with-gd=shared"
Server API	CGI/FastCGI
Virtual Directory Support	enabled
Configuration File (php.ini) Path	C:\Program Files\NetMakelv5\php\php.ini
PHP API	20041225
PHP Extension	20060613
Zend Extension	220060519
Debug Build	no
Thread Safety	enabled
Zend Memory Manager	enabled
IPv6 Support	enabled
Registered PHP Streams	php, file, data, http, ftp, compress.zlib, zip, sqldr
Registered Stream Socket Transports	tcp, udp
Registered Stream Filters	convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, zlib.*

This program makes use of the Zend Scripting Language Engine:
 Zend Engine v2.2.0, Copyright (c) 1998-2007 Zend Technologies
 with Zend Extension Manager v1.2.0, Copyright (c) 2003-2007, by Zend Technologies
 with Zend Optimizer v3.3.0, Copyright (c) 1998-2007, by Zend Technologies

**PHP Credits****Configuration****PHP Core**

Directive	Local Value	Master Value
allow_call_time_pass_reference	On	On
allow_url_fopen	On	On
allow_url_include	Off	Off
always_populate_raw_post_data	Off	Off
arg_separator.input	&	&
arg_separator.output	&	&
asp_tags	Off	Off
auto_append_file	<i>no value</i>	<i>no value</i>
auto_globals_jit	On	On
auto_prepend_file	<i>no value</i>	<i>no value</i>
browscap	<i>no value</i>	<i>no value</i>
default_charset	<i>no value</i>	<i>no value</i>
default_mimetype	text/html	text/html
define_syslog_variables	Off	Off
disable_classes	<i>no value</i>	<i>no value</i>
disable_functions	<i>no value</i>	<i>no value</i>
display_errors	On	On
display_startup_errors	Off	Off

doc_root	<i>no value</i>	<i>no value</i>
docref_ext	<i>no value</i>	<i>no value</i>
docref_root	<i>no value</i>	<i>no value</i>
enable_dl	On	On
error_append_string	<i>no value</i>	<i>no value</i>
error_log	<i>no value</i>	<i>no value</i>
error_prepend_string	<i>no value</i>	<i>no value</i>
error_reporting	6143	6143
expose_php	On	On
extension_dir	C:/Program Files/NetMake/v5/php/ext	C:/Program Files/NetMake/v5/php/ext
file_uploads	On	On
highlight.bg	#FFFFFF	#FFFFFF
highlight.comment	#FF8000	#FF8000
highlight.default	#0000BB	#0000BB
highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	.;C:\php5\pear	.;C:\php5\pear
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	On	On
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
max_execution_time	1200	1200
max_input_time	300	300
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	<i>no value</i>	<i>no value</i>
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	50M	50M
precision	12	12
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	On	On
register_globals	Off	Off
register_long_arrays	On	On
report_memleaks	On	On
report zend_debug	On	On
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	<i>no value</i>	<i>no value</i>
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	Off	Off
unserialize_callback_func	<i>no value</i>	<i>no value</i>

upload_max_filesize	50M	50M
upload_tmp_dir	C:/Program Files/NetMake/v5/php/upload	C:/Program Files/NetMake/v5/php/upload
user_dir	<i>no value</i>	<i>no value</i>
variables_order	EGPCS	EGPCS
xmlrpc_error_number	0	0
xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.ze1_compatibility_mode	Off	Off

bcmath

BCMath support	enabled
----------------	---------

calendar

Calendar support	enabled
------------------	---------

cgi-fcgi

Directive	Local Value	Master Value
cgi.check_shebang_line	1	1
cgi.fix_pathinfo	1	1
cgi.force_redirect	1	1
cgi.nph	0	0
cgi.redirect_status_env	<i>no value</i>	<i>no value</i>
cgi.rfc2616_headers	0	0
fastcgi.impersonate	0	0
fastcgi.logging	1	1

com_dotnet

COM support	enabled
DCOM support	disabled
.Net support	enabled

Directive	Local Value	Master Value
com.allow_dcom	0	0
com.autoregister_casesensitive	1	1
com.autoregister_typelib	0	0
com.autoregister_verbose	0	0
com.code_page	<i>no value</i>	<i>no value</i>
com.typelib_file	<i>no value</i>	<i>no value</i>

ctype

ctype functions	enabled
-----------------	---------

date

date/time support	enabled
Timezone Database Version	2006.16
Timezone Database	internal

Default timezone	Europe/Paris
------------------	--------------

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.6.26
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

filter

Input Validation and Filtering	enabled
Revision	\$Revision: 1.52.2.38 \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
-------------	---------

gd

GD Support	enabled
GD Version	bundled (2.0.34 compatible)
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.1.9
T1Lib Support	enabled
GIF Read Support	enabled
GIF Create Support	enabled
JPG Support	enabled
PNG Support	enabled
WBMP Support	enabled
XBM Support	enabled

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru gost adler32 crc32 crc32b

haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	"libiconv"
iconv library version	1.9

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Version	2.6.26
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	4.4.4
Multibyte regex (oniguruma) backtrack check	On

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.internal_encoding	ISO-8859-1	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.0.22

Directive	Local Value	Master Value
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	<i>no value</i>	<i>no value</i>
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

oci

OCI Support	enabled
Version	1.2.3
Revision	\$Revision: 1.269.2.16.2.30 \$
Active Persistent Connections	0
Active Connections	0
Temporary Lob support	enabled
Collections support	enabled

Directive	Local Value	Master Value
oci .default_prefetch	10	10
oci .max_persistent	-1	-1
oci .old_oci_close_semantics	0	0
oci .persistent_timeout	-1	-1
oci .ping_interval	60	60
oci .privileged_connect	Off	Off
oci .statement_cache_size	30	30

odbc

ODBC Support	enabled
Active Persistent Links	0
Active Links	0
ODBC library	Win32

Directive	Local Value	Master Value
odbc.allow_persistent	On	On
odbc.check_persistent	On	On
odbc.default_db	<i>no value</i>	<i>no value</i>
odbc.default_pw	<i>no value</i>	<i>no value</i>
odbc.default_user	<i>no value</i>	<i>no value</i>
odbc.defaultbinmode	return as is	return as is
odbc.defaultlrl	return up to 4096 bytes	return up to 4096 bytes
odbc.max_links	Unlimited	Unlimited
odbc.max_persistent	Unlimited	Unlimited

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	6.7 04-Jul-2006

PDO

PDO support	enabled
PDO drivers	sqlite, sqlite2

pdo_sqlite

PDO Driver for SQLite 3.x	enabled
PECL Module version	1.0.1 \$Id: pdo_sqlite.c,v 1.10.2.6.2.1 2007/01/01 09:36:05 sebastian Exp \$
S Lite Library	3.3.7undefined

pgsql

PostgreSQL Support	enabled
PostgreSQL (libpq) Version	8.1.4
Multibyte character support	disabled
SSL support	disabled
Active Persistent Links	0
Active Links	0

Directive	Local Value	Master Value
pgsql.allow_persistent	On	On
pgsql.auto_reset_persistent	Off	Off
pgsql.ignore_notice	Off	Off
pgsql.log_notice	Off	Off
pgsql.max_links	Unlimited	Unlimited
pgsql.max_persistent	Unlimited	Unlimited

Reflection

Reflection	enabled
Version	\$Id: php_reflection.c,v 1.164.2.33.2.33 2007/01/01 09:36:05 sebastian Exp \$

session

Session Support	enabled
Registered save handlers	files user sqlite
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.bug_compat_2	On	On
session.bug_compat_warn	On	On
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	no value	no value
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	no value	no value

session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	4	4
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	C:/Program Files/NetMake/v5/php/session	C:/Program Files/NetMake/v5/php/session
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

SimpleXML

Simplexml support	enabled
Revision	\$Revision: 1.151.2.22.2.20 \$
Schema support	enabled

sockets

Sockets Support	enabled
-----------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilterIterator, Infiltrator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RegexIterator, RuntimeException, SimpleXMLIterator, SplFileInfo, SplFileObject, SplObjectStorage, SplTempFileObject, UnderflowException, UnexpectedValueException

S Lite

SQLite support	enabled
PECL Module version	2.0-dev \$Id: sqlite.c,v 1.166.2.13.2.6 2007/01/01 09:36:07 sebastian Exp \$
S Lite Library	2.8.17
S Lite Encoding	iso8859

Directive	Local Value	Master Value
sqlite.assoc_case	0	0

sqlsrv

sqlsrv support	enabled

Directive	Local Value	Master Value

sqlsrv.LogSeverity	0	0
sqlsrv.LogSubsystems	0	0
sqlsrv.WarningsReturnAsErrors	On	On

standard

Regex Library	Bundled library enabled
Dynamic Library Support	enabled
Internal Sendmail Support for Windows	enabled

Directive	Local Value	Master Value
assert.active	1	1
assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
safe_mode_allowed_env_vars	PHP_	PHP_
safe_mode_protected_env_vars	LD_LIBRARY_PATH	LD_LIBRARY_PATH
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
user_agent	<i>no value</i>	<i>no value</i>

tokenizer

Tokenizer Support	enabled
-------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.6.26

xmlreader

XMLReader	enabled
-----------	---------

xmlwriter

XMLWriter	enabled
-----------	---------

Zend Optimizer

Optimization Pass 1	enabled
Optimization Pass 2	enabled
Optimization Pass	enabled
Optimization Pass	enabled

Optimization Pass	enabled
Zend Loader	enabled
License Path	<i>no value</i>
Obfuscation level	3

zip

Zip	enabled
Extension Version	\$Id: php_zip.c,v 1.1.2.27 2007/01/29 15:25:06 pajoye Exp \$
Zip version	2.0.0
Libzip version	0.7.1

zlib

ZLib Support	enabled
Stream Wrapper support	compress.zlib://
Stream Filter support	zlib.inflate, zlib.deflate
Compiled Version	1.2.3
Linked Version	1.2.3

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name

Environment

Variable	Value
REDIRECT_PHPRC	C:/Program Files/NetMake/v5/php
REDIRECT_HANDLER	application/x-httpd-php
REDIRECT_STAT S	200
PHPRC	C:/Program Files/NetMake/v5/php
HTTP_HOST	127.0.0.1:85
HTTP_CONNECTION	keep-alive
HTTP_SER_AGENT	Mozilla/5.0 (Windows NT 6.1) AppleWebKit/535.19 (KHTML, like Gecko) Chrome/18.0.1025.151 Safari/535.19
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_ENCODING	gzip,deflate,sdch
HTTP_ACCEPT_LANG AGE	it-IT,it;q=0.8,en-US;q=0.6,en;q=0.4
HTTP_ACCEPT_CHARSET	ISO-8859-1,utf-8;q=0.7,*;q=0.3
HTTP_COOKIE	tree0Selected=1; tree0State=00; PHPSESSID=c6ceed55350621e96e75719b2733dd50; tree1Selected=0; tree1State=
PATH	C:\Oracle\ora10g\C:\Program Files\Support Tools\C:\Python27\C:\Python27\Scripts\C:\Program Files\Oracle\jre1.1.8\bin;C:\WINDOWS\system32;C:\WINDOWS;C:\WINDOWS\System32\Wbem;C:\WINDOWS\System32\WindowsPowerShell\1.0;C:\Program Files\ATI Technologies\ATI.ACE\Core-Static;C:\Program Files\Common Files\Acronis\SnapAPI\C:\PROGRA~1\DISKEE~1\DISKEE~1\C:\Program Files\Microsoft SQL Server\90\Tools\binn\C:\Program Files\privacy\Sybase\C:\Windows\System32\Windows System Resource Manager\bin;C:\Program Files\Appupdater;C:\Program Files\Bitvise Tunnelier;C:\Program Files\NetMake\v5\php;c:\Program Files\Microsoft SQL Server\100\Tools\Binn\VSShell\Common7\IDE;c:\Program Files\Microsoft SQL

	Server\100\Tools\Binn\c:\Program Files\Microsoft SQL Server\100\DTSDTS\Binn\C:\Program Files\Microsoft SQL Server\110\Tools\Binn\C:\Program Files\Microsoft SQL Server\110\DTSDTS\Binn\;
SystemRoot	C:\Windows
COMSPEC	C:\Windows\system32\cmd.exe
PATHEXT	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC;.py;.pyw
WINDIR	C:\Windows
SERVER_SIGNATURE	<i>no value</i>
SERVER_SOFTWARE	Apache
SERVER_NAME	127.0.0.1
SERVER_ADDR	127.0.0.1
SERVER_PORT	80
REMOTE_ADDR	127.0.0.1
DOCUMENT_ROOT	C:/Program Files/NetMake/v5/wwwroot
SERVER_ADMIN	info@localhost
SCRIPT_FILENAME	C:\Program Files\NetMake\v5\wwwroot\info.php
REMOTE_PORT	57328
REDIRECT_URL	/info.php
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
REQUEST_STRING	<i>no value</i>
REQUEST_URI	/info.php
SCRIPT_NAME	/info.php
ORIG_SCRIPT_FILENAME	C:/Program Files/NetMake/v5/php/php-cgi.exe
ORIG_PATH_INFO	/info.php
ORIG_PATH_TRANSLATED	C:\Program Files\NetMake\v5\wwwroot\info.php
ORIG_SCRIPT_NAME	/php/php-cgi.exe

PHP Variables

Variable	Value
\$_REQUEST["tree_Selected"]	1
\$_REQUEST["tree_State"]	00
\$_REQUEST["PHPSESSID"]	c6ceed55350621e96e75719b2733dd50
\$_REQUEST["tree1Selected"]	0
\$_REQUEST["tree1State"]	<i>no value</i>
\$_COOKIE["tree_Selected"]	1
\$_COOKIE["tree_State"]	00
\$_COOKIE["PHPSESSID"]	c6ceed55350621e96e75719b2733dd50
\$_COOKIE["tree1Selected"]	0
\$_COOKIE["tree1State"]	<i>no value</i>
\$_SERVER["REDIRECT_PHPRC"]	C:/Program Files/NetMake/v5/php
\$_SERVER["REDIRECT_HANDLER"]	application/x-httpd-php
\$_SERVER["REDIRECT_STATUS"]	200
\$_SERVER["PHPRC"]	C:/Program Files/NetMake/v5/php
\$_SERVER["HTTP_HOST"]	127.0.0.1:85
\$_SERVER["HTTP_CONNECTION"]	keep-alive
\$_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (Windows NT 6.1) AppleWebKit/535.19 (KHTML, like Gecko) Chrome/18.0.1025.151 Safari/535.19
\$_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
\$_SERVER["HTTP_ACCEPT_ENCODING"]	gzip,deflate,sdch
\$_SERVER["HTTP_ACCEPT_LANGUAGE"]	it-IT,it;q=0.8,en-US;q=0.6,en;q=0.4

_SERVER "HTTP_ACCEPT_CHARSET"	ISO-8859-1,utf-8;q=0.7,*;q=0.3
_SERVER "HTTP_COOKIE"	tree0Selected=1; tree0State=00; PHPSESSID=c6ceed55350621e96e75719b2733dd50; tree1Selected=0; tree1State=
_SERVER "PATH"	C:\Oracle\ora10\;C:\Program Files\Support Tools\;C:\Python27\;C:\Python27\Scripts\;C:\Program Files\Oracle\jre\1.1.8\bin\;C:\WINDOWS\system32\;C:\WINDOWS\;C:\WINDOWS\System32\Wbem\;C:\WINDOWS\System32\WindowsPowerShell\v1.0\;C:\Program Files\ATI Technologies\ATI.ACE\Core-Static\;C:\Program Files\Common Files\Acronis\SnapAPI\;C:\PROGRA~1\DISKEE~1\DISKEE~1\;C:\Program Files\Microsoft SQL Server\90\Tools\binn\;C:\Program Files\privacy\Sybase\;C:\Windows\System32\Windows System Resource Manager\bin\;C:\Program Files\Appupdater\;C:\Program Files\Bitvise Tunnelier\;C:\Program Files\NetMake\v5\php;c:\Program Files\Microsoft SQL Server\100\Tools\Binn\VSShell\Common7\IDE;c:\Program Files\Microsoft SQL Server\100\Tools\Binn\c:\Program Files\Microsoft SQL Server\100\DTS\Binn\;C:\Program Files\Microsoft SQL Server\110\Tools\Binn\;C:\Program Files\Microsoft SQL Server\110\DTS\Binn\;
_SERVER "SystemRoot"	C:\Windows
_SERVER "COMSPEC"	C:\Windows\system32\cmd.exe
_SERVER "PATHEXT"	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC;.py;.pyw
_SERVER "WINDIR"	C:\Windows
_SERVER "SERVER_SIGNATURE"	<i>no value</i>
_SERVER "SERVER_SOFTWARE"	Apache
_SERVER "SERVER_NAME"	127.0.0.1
_SERVER "SERVER_ADDR"	127.0.0.1
_SERVER "SERVER_PORT"	80
_SERVER "REMOTE_ADDR"	127.0.0.1
_SERVER "DOCUMENT_ROOT"	C:/Program Files/NetMake/v5/wwwroot
_SERVER "SERVER_ADMIN"	info@localhost
_SERVER "SCRIPT_FILENAME"	C:\Program Files\NetMake\v5\wwwroot\info.php
_SERVER "REMOTE_PORT"	57328
_SERVER "REDIRECT_URL"	/info.php
_SERVER "GATEWAY_INTERFACE"	CGI/1.1
_SERVER "SERVER_PROTOCOL"	HTTP/1.1
_SERVER "REQUEST_METHOD"	GET
_SERVER "REQUEST_STRING"	<i>no value</i>
_SERVER "REQUEST_URI"	/info.php
_SERVER "SCRIPT_NAME"	/info.php
_SERVER "ORIG_SCRIPT_FILENAME"	C:/Program Files/NetMake/v5/php/php-cgi.exe
_SERVER "ORIG_PATH_INFO"	/info.php
_SERVER "ORIG_PATH_TRANSLATED"	C:\Program Files\NetMake\v5\wwwroot\info.php
_SERVER "ORIG_SCRIPT_NAME"	/php/php-cgi.exe
_SERVER "PHP_SELF"	/info.php
_SERVER "REQUEST_TIME"	1334072185
_SERVER "argv"	Array ()
_SERVER "argc"	0
_ENV "REDIRECT_PHPRC"	C:/Program Files/NetMake/v5/php
_ENV "REDIRECT_HANDLER"	application/x-httpd-php
_ENV "REDIRECT_STATUS"	200
_ENV "PHPRC"	C:/Program Files/NetMake/v5/php
_ENV "HTTP_HOST"	127.0.0.1:85
_ENV "HTTP_CONNECTION"	keep-alive

ENV "HTTP SER_AGENT"	Mozilla/5.0 (Windows NT 6.1) AppleWebKit/535.19 (KHTML, like Gecko) Chrome/18.0.1025.151 Safari/535.19
_ENV "HTTP_ACCEPT"	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_ENV "HTTP_ACCEPT_ENCODING"	gzip,deflate,sdch
_ENV "HTTP_ACCEPT_LANG AGE"	it-IT,it;q=0.8,en-US;q=0.6,en;q=0.4
_ENV "HTTP_ACCEPT_CHARSET"	ISO-8859-1,utf-8;q=0.7,*;q=0.3
_ENV "HTTP_COOKIE"	tree0Selected=1; tree0State=00; PHPSESSID=c6ceed55350621e96e75719b2733dd50; tree1Selected=0; tree1State=
_ENV "PATH"	C:\Oracle\ora10\;C:\Program Files\Support Tools\;C:\Python27\;C:\Python27\Scripts\;C:\Program Files\Oracle\jre\1.1.8\bin\;C:\WINDOWS\system32\;C:\WINDOWS\;C:\WINDOWS\System32\Wbem\;C:\WINDOWS\System32\WindowsPowerShell\v1.0\;C:\Program Files\ATI Technologies\ATI.ACE\Core-Static\;C:\Program Files\Common Files\Acronis\SnapAPI\;C:\PROGRA~1\DISKEE~1\DISKEE~1\;C:\Program Files\Microsoft SQL Server\90\Tools\binn\;C:\Program Files\privacy\Sybase\;C:\Windows\System32\Windows System Resource Manager\bin\;C:\Program Files\Appupdater\;C:\Program Files\Bitvise Tunnelier\;C:\Program Files\NetMake\v5\php;c:\Program Files\Microsoft SQL Server\100\Tools\Binn\VSShell\Commo7\IDE;c:\Program Files\Microsoft SQL Server\100\Tools\Binn;c:\Program Files\Microsoft SQL Server\100\DTS\Binn\;C:\Program Files\Microsoft SQL Server\110\Tools\Binn\;C:\Program Files\Microsoft SQL Server\110\DTS\Binn\;
_ENV "SystemRoot"	C:\Windows
_ENV "COMSPEC"	C:\Windows\system32\cmd.exe
_ENV "PATHEXT"	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC;.py;.pyw
_ENV "WINDIR"	C:\Windows
_ENV "SERVER_SIGNATURE"	<i>no value</i>
_ENV "SERVER_SOFTWARE"	Apache
_ENV "SERVER_NAME"	127.0.0.1
_ENV "SERVER_ADDR"	127.0.0.1
_ENV "SERVER_PORT"	80
_ENV "REMOTE_ADDR"	127.0.0.1
_ENV "DOCUMENT_ROOT"	C:/Program Files/NetMake/v5/wwwroot
_ENV "SERVER_ADMIN"	info@localhost
_ENV "SCRIPT_FILENAME"	C:\Program Files\NetMake\v5\wwwroot\info.php
_ENV "REMOTE_PORT"	57328
_ENV "REDIRECT_URL"	/info.php
_ENV "GATEWAY_INTERFACE"	CGI/1.1
_ENV "SERVER_PROTOCOL"	HTTP/1.1
_ENV "REQUEST_METHOD"	GET
_ENV "REQUEST_STRING"	<i>no value</i>
_ENV "REQUEST_URI"	/info.php
_ENV "SCRIPT_NAME"	/info.php
_ENV "ORIG_SCRIPT_FILENAME"	C:/Program Files/NetMake/v5/php/php-cgi.exe
_ENV "ORIG_PATH_INFO"	/info.php
_ENV "ORIG_PATH_TRANSLATED"	C:\Program Files\NetMake\v5\wwwroot\info.php
_ENV "ORIG_SCRIPT_NAME"	/php/php-cgi.exe

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.

